

Department of Building & Code Enforcement

235 E Airy Street, Norristown, PA 19401 Phone: (610) 270-0441 Fax (610) 279-7548

For Office Use Only			
Date Application Received	Ву		
Flood Plain: Yes No			
Application Number			

Permit Application Packet

<mark>This application must have a copy of the <u>SIGNED CUSTOMER CONTRACT</u> attached.</mark> All permit fees must be paid prior to
issuing permit but not prior to approval. In the event the project is cancelled please notify the Department of Building 8
Code Enforcement. Applications for Residential permits may take up to 15 days for approval. Applications for
Commercial permits may take up to 30 days for approval.

- ,	olications for Resident	ial permits may t	ct is cancelled please notify the Department of Building take up to 15 days for approval. Applications for
APPLICANT: Zoning De the proposed work. (Che Commercial Cha The construction The construction	epartment approval must eck all that apply) ange of Tenant and/or a on of a residential (private on of an addition, fence, d	t be obtained prior Commercial/ Multive) and/or a public soletic or porch enclo	
Property Address			Floor or Suite #
TYPE OF WORK Please check the type of work pro New Construction	oposed. Addition		ntial or Commercial and the Use Group. Please see the Use Group Guide nce. Uses with an (*) must also have an occupancy condition identified.
New ConstructionAlteration		□ Residential	
☐ Tenant Fit-Out ☐ Demolition ☐ Roofing ☐ Repair/Replace ☐ Other ☐	□ R-1 □ R-2 □ R-3 □ R-4*	□ A-1 □ A-5 □ F-2 □ H-4 □ I-3* □ S-2 □ A-2 □ B □ H-1 □ H-5 □ I-4 □ U □ A-3 □ E □ H-2 □ I-1* □ M □ A-4 □ F-1 □ H-3 □ I-2* □ S-1	
		Condition: 1	<pre>0 2 0 3 0 4 0 5</pre>
Daytime Phone		Cell Phone	Fax
Contractor's License Nu	ımber		
		Property Info	ormation_
Property Owner's Maili			
Daytime Phone	Cell	Phone	E-Mail Address
the penalties of 18 Pa. C.S.A. Sec the owner(s) to act as agent in p with all provisions of the Zoning	ction 4904 relating to unsworn procuring the building permit h Ordinance, the Building Code	falsification to authorit erein requested. The ur and with all applicable of	wledge, information and belief and that these statements are made subject ies. The undersigned is the owner of said structure or has been authorized indersigned also takes full responsibility for all work performed and will compordinances of Norristown. I understand that this permit will become invaliduance or if the work permitted is suspended or abandoned for 180 days after
<u>PERMIT MUST BE</u>	APPROVED, PERMIT	ISSUED AND POS	TED ON THE JOB SITE PRIOR TO BEGINNING WORK!
Y			
Signature of Applicant			Date

	Construction Permit Section	า
Description of the proposed work to	be performed:	
·		
		
	Building Contractor Information	
Contractor Name	L	icense #
	Cell Phone	
	ding Construction Only) \$	
·		
Office Use Only		
Building Permit Application Reviewed	d By Da	te Approved//
	Electrical Permit Section	
Description of the proposed work to	be performed:	
Tota	l Re-wires MUST Have Plans Att	ached
Application For:	Service Information:	Number of Rough Wiring Outlets
Application For: □ Electrical Service	Service Information: □ New □ Existing □ Repair	Number of Rough Wiring Outlets Receptacles
Application For: □ Electrical Service □ Temporary Electric	Service Information: □ New □ Existing □ Repair Size of Service: amps	Number of Rough Wiring Outlets Receptacles Lighting
Application For: □ Electrical Service □ Temporary Electric □ Replacement of Equipment	Service Information: □ New □ Existing □ Repair Size of Service: amps Number of Meters:	Number of Rough Wiring Outlets Receptacles Lighting Switches
Application For: □ Electrical Service □ Temporary Electric	Service Information: New Existing Repair Size of Service: amps Number of Meters: Subpanels:	Number of Rough Wiring Outlets Receptacles Lighting
Application For: □ Electrical Service □ Temporary Electric □ Replacement of Equipment	Service Information: □ New □ Existing □ Repair Size of Service: amps Number of Meters:	Number of Rough Wiring Outlets Receptacles Lighting Switches
Application For: □ Electrical Service □ Temporary Electric □ Replacement of Equipment □ Total Re-wire	Service Information: New Existing Repair Size of Service: amps Number of Meters: Subpanels:	Number of Rough Wiring Outlets Receptacles Lighting Switches Electric Heat
Application For: Electrical Service Temporary Electric Replacement of Equipment Total Re-wire Contractor Name Contractor Address	Service Information: New Existing Repair Size of Service: amps Number of Meters: Subpanels: Electrical Contractor Information L	Number of Rough Wiring Outlets Receptacles Lighting Switches Electric Heat
Application For: Electrical Service Temporary Electric Replacement of Equipment Total Re-wire Contractor Name Contractor Address Contractor Daytime Phone	Service Information: New Existing Repair Size of Service: amps Number of Meters: Subpanels: Electrical Contractor Information Cell Phone	Number of Rough Wiring Outlets Receptacles Lighting Switches Electric Heat icense #
Application For: Electrical Service Temporary Electric Replacement of Equipment Total Re-wire Contractor Name Contractor Address Contractor Daytime Phone	Service Information: New Existing Repair Size of Service: amps Number of Meters: Subpanels: Electrical Contractor Information L	Number of Rough Wiring Outlets Receptacles Lighting Switches Electric Heat icense #
Application For: Electrical Service Temporary Electric Replacement of Equipment Total Re-wire Contractor Name Contractor Address Contractor Daytime Phone Estimated Cost of Construction (Elec	Service Information: New Existing Repair Size of Service: amps Number of Meters: Subpanels: Electrical Contractor Information Cell Phone	Number of Rough Wiring Outlets Receptacles Lighting Switches Electric Heat icense #
Application For: Electrical Service Temporary Electric Replacement of Equipment Total Re-wire Contractor Name Contractor Address Contractor Daytime Phone	Service Information: New Existing Repair Size of Service: amps Number of Meters: Subpanels: Electrical Contractor Information Cell Phone	Number of Rough Wiring Outlets Receptacles Lighting Switches Electric Heat icense #

Plumbing Permit Section
Description of the proposed work to be performed:
Automatic Washer Bathtub Bidet Combo Sink & Tray Dental Unit Dishwasher
Drinking Fountain Floor Drain Laundry Tray Lavatory Service Sink Sink
Shower Urinal Water Closet Water Heater Other
Plumbing Contractor Information
Contractor Name License #
Contractor Address
Contractor Daytime Phone Cell Phone
Estimated Cost of Construction (Plumbing Construction Only) \$
Office Use Only Plumbing Permit Application Reviewed By Date Approved//
Transing Ferrite Application Reviewed by
HVAC / Mechanical Permit Section Description of the proposed work to be performed:
Unit Location: Basement Attic Other
Type of Job: Heating Air Conditioning Ventilation Other
Application For: New Unit Replace Existing Unit New Fuel Type Other
Type of Unit: Oil Gas Electric Boiler Forced Air Steam Other
HVAC / Mechanical Contractor Information
Contractor NameLicense #
Contractor Address Cell Phone Cell Phone
Estimated Cost of Construction (Mechanical Construction Only) \$
Office Use Only
Mechanical Permit Application Reviewed By Date Approved/

Roofing Permit Section Description of the proposed work to be performed:
Roofing Contractor Information
Contractor Name License #
Contractor Address Cell Phone Cell Phone
Estimated Cost of Construction (Roofing Construction Only) \$
Office Use Only
Roofing Permit Application Reviewed By Date Approved//
Fire Alarm / Fire Protection Permit Section
Application For: Fire Alarm Fire Protection Sprinkler System
Description of the proposed work to be performed:
Type of System:
Number of Fire Alarm Initiating Devices being Installed or Modified:
Local Alarm Notification or Off Site Alarm Monitoring:
Installation of Fire Pump: 🗆 Yes 🗆 No Standpipes: 🗆 Yes 🗆 No Fire System Lateral: 🗆 Yes 🗆 No
Number of Sprinkler Heads being Installed or Modified:
Number of Separate Range Hood Systems being Installed:
Fire Alarm / Fire Protection Contractor Information
Contractor NameLicense #
Contractor Address Cell Phone Cell Phone
Estimated Cost of Construction (Fire Alarm / Fire Protection Construction Only) \$
Office Use Only
Fire Alarm / Fire Protection Permit Application Reviewed By
Date Approved/



Department of Building & Code Enforcement

235 E Airy Street, Norristown, PA 19401 Phone: (610) 270-0441 Fax (610) 279-7548



Department of Building & Code Enforcement Fee Schedule

Resolution No. 18-165: Norristown Fee Schedule 2019 -- Section VI. Code Enforcement, Building, and Zoning

<u>Residential/Commercial Permit Projects</u> – Fees paid at the time when the permit is Issued.

Project Value \$5,000 or Less - Minimum Permit Fee - \$129.50

Commercial Plans

The initial application includes an inspection of 1 inspection type. For example if a permit requires a framing, insulation, and final inspection the initial application includes 1 framing inspection and 1 framing re-inspection.

Initial Application	\$100.00
Administrative Fee	\$25.00
PA State UCC Fee	\$4.50
Additional Inspections Required	\$75.00 per inspection
Additional Re-inspections Required	\$50.00 per inspection
Working without a Permit	Double Permit Fee (i.e. \$129.50 x 2 = \$259.00)
roject Value \$5,001 - \$50,000	
Initial Application	3% per \$1,000 or fraction thereof
Additional Re-inspections Required	\$50.00 per inspection
roject Value \$50,001 - \$3,000,000	
Initial Application	1.5% per \$1,000 or fraction thereof
Additional Re-inspections Required	\$50.00 per inspection
roject Value \$3,000,001 and Greater	
Initial Application	0.75% per \$1,000 or fraction thereof
Additional Re-inspections Required	\$50.00 per inspection
roject Value Greater than \$50,000 which includes Mu	ultiple Parcels
Each Permit for Each Parcel	1.5% per \$1,000 or fraction thereof
Additional Re-inspections Required	\$50.00 per inspection
lan Review Fee – Fees paid at the time the permit is	Issued.
Residential Plans	\$75.00 per hour

\$125.00 per hour



Department of Building & Code Enforcement

235 E Airy Street, Norristown, PA 19401 Phone: (610) 270-0441 Fax (610) 279-7548



Pennsylvania Uniform Construction Code (PA UCC) Guide

Permit Requirements

What is a **Residential Building?**

The PA UCC defines a Residential building as detached one-family and two-family dwellings and multiple single-family dwellings which are not more than three stories in height with a separate means of egress which includes accessory structures.

(Amended by Act 92 of 2004)

What are the Permit Requirements for Residential Buildings?

An owner or authorized agent who intends to construct, enlarge, alter, repair, move, demolish or change the occupancy of a residential building or erect, install, enlarge, alter, repair, remove, convert or replace an electrical, gas, mechanical or plumbing system regulated by the UCC.

What is a **Commercial Building?**

A Commercial building is any building that is not considered a Residential building as defined by the PA UCC.

What are the Permit Requirements for Commercial Buildings?

An owner or authorized agent who intends to construct, enlarge, alter, repair, move, demolish or change the occupancy of a residential building or erect, install, enlarge, alter, repair, remove, convert or replace an electrical, gas, mechanical or plumbing system regulated by the UCC.

What is an **Uncertified Building?**

The PA UCC defines an Uncertified building as an existing building which, prior to April 9, 2004, was not approved for use and occupancy by the Department of Labor and Industry or a municipality, which was enforcing a building code. The term does not include a residential building (Amended by Act 95 of 2005). Under section 902(b)(6) of the act (35 P.S. § 7210.902(b)), an uncertified building that was built before April 27,1927 is deemed to be legally occupied until the owner proposes to renovate, add an addition, alter or change the occupancy of the building.

All Uncertified buildings are commercial buildings and require plans to be prepared by a registered design professional.



Department of Building & Code Enforcement

235 E Airy Street, Norristown, PA 19401 Phone: (610) 270-0441 Fax (610) 279-7548



Use Group Guide

This Use Group Guide is to be used for the sole purpose of identifying the Use of a building in accordance with the 2015 International Building Code. The building uses identified below are separate of the Municipality of Norristown's Zoning Ordinance and should not be used to identify a building's Zoning Use.

Assembly Group (A-1): Intended for the production and viewing of the performing arts or motion pictures including, but not limited to, the following:

- -Motion picture theaters
- -Symphony and concert halls
- -Television and radio studios admitting an audience
- -Theaters

Assembly Group (A-2): Intended for food and/or drink consumption including, but not limited to:

- -Banquet Halls
- -Casinos (gaming areas)
- -Nightclubs
- -Restaurants, cafeterias and similar dining facilities (including associated commercial kitchens)
- -Taverns and bars

Assembly Group (A-3): Intended for worship, recreation or amusement and other assembly uses not classified elsewhere in Group A including, but not limited to:

-Amusement arcades -Dance halls (not including food or drink consumption)

-Art galleries -Exhibition halls
-Bowling alleys -Funeral parlors

-Community halls -Gymnasiums (without spectator seating)

-Court rooms -Indoor swimming pools (without spectator seating)
-Lecture halls -Indoor tennis courts (without spectator seating)

-Libraries -Museums

-Places of religious worship -Pool and billiard parlors

-Waiting areas in transportation terminals

Assembly Group (A-4): Intended for viewing indoor sporting events and activities with spectator seating including, but not limited to, the following:

- -Arenas
- -Skating rinks
- -Swimming pools
- -Tennis courts

Assembly Group (A-5): Intended for participation in or viewing outdoor activities including, but not limited to:

- -Amusement park structures
- -Bleachers
- -Grandstands
- -Stadiums

Business Group (B): Includes the use of a building or structure, or portion thereof, for office, professional or service-type transactions, including storage of records and accounts. Business occupancies shall include, but not be limited to:

-Airport traffic control towers -Ambulatory care facilities

-Animal hospitals, kennels and pounds -Banks -Barber and beauty shops -Car wash

-Civic administration -Clinic, outpatient

-Laboratories: testing and research -Educational occupancies for students above the 12th grade

-Electronic data processing -Dry cleaning and laundries: pick-up and delivery stations, self-service

-Motor vehicle showrooms -Post offices

-Professional services (architects, attorneys, dentists, engineers, etc.)

-Radio and television stations -Telephone exchanges

-Training and skill development not in a school or academic program

-Food processing establishments and commercial kitchens not associated with restaurants, cafeterias and similar dining facilities not more than 2,500 square feet in area

Educational Group (E): Includes the use of a building or structure, or portion thereof, by six (6) or more persons at any one time for educational purposes through the 12th grade.

-Religious educational rooms and religious auditoriums that are accessory to places of religious worship and have an occupancy load of less than 100 per room or space, shall be classified as A-3 occupancies.

Educational Group (E - Day Care Facilities): Occupied by more than five (5) children older than 2½ years of age who receive educational, supervision or personal care services for fewer than 24 hours per day.

- -Places of religious worship providing such day care facilities during religious functions shall be classified as part of the primary occupancy.
- -Five (5) or fewer children receiving such day care facilities shall be classified a part of the primary occupancy.
- -Five (5) or fewer children within a dwelling unit receiving such day care facilities shall be classified as a Group R-3.

Moderate-Hazard Factory Industrial Group (F-1): Intended for assembling, disassembling, fabricating, finishing, manufacturing, packaging, and repair or processing operations that are not classified as Group H or Group S occupancies. Moderate-hazard Factory Industrial occupancies shall include, but not be limited to:

-Appliances -Aircraft (manufacturing, not to include repair)

-Athletic equipment -Automobiles and other motor vehicles
-Bakeries -Beverages: over 16% alcohol content

-Bicycles -Boats

-Brooms or brushes -Business machines
-Cameras and photo equipment -Canvas or similar fabric

-Carpets and rugs (includes cleaning) -Clothing -Construction and agricultural machinery -Disinfectants

-Dry cleaning and dyeing -Electric generation plants
-Electronics -Engines (including rebuilding)

-Furniture -Hemp products
-Jute products -Laundries
-Leather products -Machinery

-Metals -Millwork (sash and door)

-Musical Instruments -Motion pictures and television filming (without spectators)

-Optical goods -Paper mills or products

-Photographic film -Plastic products

Moderate-Hazard Factory Industrial Group (F-1): Continued:

-Printing or publishing -Recreational vehicles

-Refuse incineration -Shoes -Soaps and detergents -Textiles -Tobacco -Trailers

-Upholstering -Wood; distillation

-Woodworking (cabinet)

-Food processing establishments and commercial kitchens not associated with restaurants, cafeterias and similar dining facilities more than 2,500 square feet in area.

Low-Hazard Factory Industrial Group (F-2): Uses that involve the fabrication or manufacturing of noncombustible materials that during finishing, packaging or processing do not involve a significant fire hazard; including, but not be limited to:

-Brick and masonry -Beverages: up to and including 16% alcohol content

-Ceramic products -Foundries -Glass products -Gypsum

-Ice -Metal products (fabrication and assembly)

High-Hazard Group (H-1): Buildings and structures containing materials that pose a detonation hazard. Such materials shall include, but not be limited to, the following:

-Detonable pyrophoric materials -Organic peroxides, unclassified detonable

-Oxidizers, Class 4 -Unstable (reactive) materials, Class 3 detonable and Class 4

-Explosives: Division 1.1, Division 1.2, Division 1.3, Division 1.4, Division 1.5, Division 1.6

High-Hazard Group (H-2): Buildings and structures containing materials that pose a deflagration hazard or a hazard from accelerated burning. Such materials shall include, but not be limited to, the following:

- -Class I, II or IIIA flammable or combustible liquids that are used or stored in normally open containers or systems pressurized at more than 15 pounds per square inch gauge.
- -Combustible dusts where manufactured, generated or used in such a manner that the concentration and conditions create a fire or explosion hazard based on information prepared.
- -Cryogenic fluids, flammable
- -Flammable gases
- -Organic peroxides, Class I
- -Oxidizers, Class 3, that are used or stored in normally open containers or systems, or in closed containers or systems pressurized at more than 15 pounds per square inch gauge.
- -Pyrophoric liquids, solids and gases, nondetonable
- -Unstable (reactive) materials, Class 3, nondetonable
- -Water-reactive materials, Class 3
- -Division 1.3 explosive materials that are used and maintained in a form where either confinement or configuration will not elevate the hazard from a mass fire to mass explosion hazard.

High-Hazard Group (H-3): Buildings and structures containing materials that readily support combustion or that pose a physical hazard. Such materials shall include, but not be limited to, the following:

- -Articles, including articles packaged for shipment, that are not regulated as a Division 1.4 explosive under Bureau of Alcohol, Tobacco, Firearms, and Explosives regulations, or unpackaged articles used in process operations that do not propagate a detonation or deflagration between articles.
- -Consumer fireworks, 1.4G (Class C, Common)
- -Cryogenic fluids, oxidizing
- -Flammable solids

High-Hazard Group (H-3): Continued:

- -Class I, II, IIIA flammable or combustible liquids that are used or stored in normally closed containers or systems pressurized at 15 pounds per square inch gauge.
- -Combustible fibers, other than densely packed baled cotton, where manufactured, generated or used in such a manner that the concentration and conditions create a fire or explosion hazard based on information prepared.
- -Organic peroxides, Class II and III
- -Oxidizers, Class 2
- -Oxidizers, Class 3, that are used or stored in normally closed containers or systems pressurized at 15 pounds per square inch gauge.
- -Oxidizing gases
- -Unstable (reactive) materials, Class 2
- -Water-reactive materials, Class 2

High-Hazard Group (H-4): Buildings and structures containing materials that are health hazards. Such materials shall include, but not be limited to, the following:

- -Corrosives
- -Highly toxic materials
- -Toxic materials

High-Hazard Group (H-5): Semiconductor fabrication facilities and comparable research and development areas in which hazardous production materials (HPM) are used.

Institutional Group (I-1): Include buildings, structures or portions thereof for more than 16 persons, excluding staff, who reside on a 24 hour basis in a supervised environment and receive custodial care. This group shall include, but not be limited to, the following:

-Alcohol and drug centers

-Assisted living centers

-Congregate care facilities

-Group homes

-Halfway houses

-Residential board and care facilities

- -Social rehabilitation facilities
- -A facility housing not fewer than six and not more than 16 persons receiving custodial care shall be classified as Group R-4.
 - -A facility with five or fewer persons receiving custodial care shall be classified as Group R-3.

Buildings of Group I-1 shall be classified under one of the following occupancy conditions.

- -<u>Condition 1</u>: Includes buildings in which all persons receiving custodial care who, without any assistance, are capable of responding to an emergency situation to complete building evacuation.
- -<u>Condition 2</u>: Buildings in which there are any persons receiving custodial care who require limited verbal or physical assistance while responding to an emergency situation to complete building evacuation.

Institutional Group (I-2): Include buildings and structures used for medical care on a 24 hour basis for more than five persons who are incapable of self-preservation. This group shall include, but not be limited to, the following:

-Foster care facilities

-Detoxification facilities

-Psychiatric hospitals

-Hospitals

-Nursing homes

-A facility with five or fewer persons receiving medical care shall be classified as Group R-3.

Institutional Group (I-2): Continued:

Buildings of Group I-2 shall be classified under one of the following occupancy conditions:

- -<u>Condition 1</u>: Facilities that provide nursing and medical care but do not provide emergency care, surgery, obstetrics or in-patient stabilization units for psychiatric or detoxification, including but not limited to nursing homes and foster care facilities.
- -<u>Condition 2</u>: Facilities that provide nursing and medical care and could provide emergency care, surgery, obstetrics or in-patient stabilization units for psychiatric or detoxification, including but not limited hospitals.

Institutional Group (I-3): Buildings and structures that are inhabited by more than five persons who are under restraint or security. Generally occupied by persons who are incapable of self-preservation due to security measures not under the occupants' control. This group shall include, but not be limited to, the following:

-Correctional centers -Detention centers
-Jails -Prerelease centers
-Prisons -Reformatories

Buildings of Group I-3 shall be classified under one of the following occupancy conditions:

- -<u>Condition 1</u>: Buildings in which free movement is allowed from sleeping areas, and other spaces where access or occupancy is permitted, to the exterior via means of egress without restraint. Condition 1 facilities are permitted to be constructed as Group R.
- -<u>Condition 2</u>: Buildings in which free movement is allowed from sleeping areas and any other occupied smoke compartment to one or more other smoke compartments. Egress to the exterior is impeded by locked exits.
- -Condition 3: Buildings in which free movement is allowed within individual smoke compartments, such as within residential unit comprised of individual sleeping units and group activity spaces, where egress is impeded by remote controlled release of means of egress from such a smoke compartment to another smoke compartment.
- -<u>Condition 4</u>: Buildings in which free movement is restricted from an occupied space. Remote controlled release is provided to permit movement from sleeping units, activity spaces and other occupied areas within the smoke compartment to other smoke compartments.
- -<u>Condition 5</u>: Buildings in which free movement is restricted from an occupied space. Staff-controlled manual release is provided to permit movement from sleeping units, activity spaces and other occupied areas within the smoke compartment to other smoke compartments.

Institutional Group (I-4): Buildings and structures occupied by more than five persons of any age who receive custodial care for fewer than 24 hours per day by persons other than parents or guardians, relatives by blood, marriage or adoption, and in a place other than the home of the person cared for. This group shall include, but not be limited to, the following:

- -Adult day care
- -Child day care
- -A child day care facility that provides care for more than five but not more than 100 children 2½ years or less of age, where the rooms in which children are cared for are located on a level of exit discharge serving such rooms and each of these child care rooms has an exit door directly to the exterior, shall be classified as Group E.

Mercantile Group (M): Use of a building or structure or a portion thereof for the display and sale of merchandise, and involves stocks of goods, wares or merchandise incidental to such purposes and accessible to the public. This group shall include, but not be limited to, the following:

-Department stores -Motor fuel-dispensing facilities -Drug stores -Retail or wholesales stores

-Markets -Sales rooms

Residential Group (R-1): Occupancies containing sleeping units where the occupants are primarily transient in nature. This group includes, but is not limited to, the following:

- -Boarding houses (transient) with more than 10 occupants
- -Congregate living facilities (transient) with more than 10 occupants
- -Hotels (transient)
- -Motels (transient)

Residential Group (R-2): Occupancies containing sleeping units or more than two dwelling units where the occupants are primarily permanent in nature, including, but not limited to, the following:

- -Apartment houses
- -Boarding houses (nontransient) with more than 16 occupants
- -Congregate living facilities (nontransient) with more than 16 occupants
- -Convents
- -Dormitories
- -Fraternities
- -Hotels (nontransient)
- -Live/work units
- -Monasteries
- -Motels (nontransient)
- -Vacation timeshare properties

Residential Group (R-3): Occupancies where the occupants are primarily permanent in nature and not classified as Group R-1, R-2, R-4, or I, including, but not limited, the following:

- -Buildings that do not contain more than two dwelling units (Single Family Dwelling)
- -Boarding houses (nontransient) with 16 or fewer occupants
- -Boarding houses (transient) with 10 or fewer occupants
- -Care facilities that provide accommodation for five or fewer persons receiving care
- -Congregate living facilities (nontransient) with 16 or fewer occupants
- -Congregate living facilities (transient) with 10 or fewer occupants
- -Lodging houses with five or fewer guest rooms

Residential Group (R-4): Buildings, structures or portions thereof for more than five but not more than 16 persons, excluding staff, who reside on a 24 hour basis in a supervised residential environment and receive custodial care. This group shall include, but not be limited to, the following:

-Alcohol and drug centers -Assisted living facilities

-Congregate care facilities -Group homes

-Halfway houses -Residential board and care facilities

-Social rehabilitation facilities

Residential Group (R-4): Continued:

Buildings of Group R-4 shall be classified under one of the following occupancy conditions:

- -<u>Conditions 1</u>: This occupancy condition shall include buildings in which all persons receiving custodial care, without any assistance, are capable of responding to an emergency situation to complete building evacuations.
- -<u>Condition 2</u>: This occupancy condition shall include buildings in which there are any persons receiving custodial care who require limited verbal or physical assistance while responding to an emergency situation to complete building evacuation.

Storage Group (S-1): Buildings occupied for storage uses that are not classified as Group S-2, including, but not limited to, the following:

-Aerosols, Levels 2 and 3 -Baskets

-Aircraft hangar (storage and repair)
 -Belting: canvas and leather
 -Books and paper in rolls or packs

-Bamboos and rattan -Boots and shoes

-Cardboard and cardboard boxes -Buttons, including cloth covered, pearl or bone

-Clothing, woolen wearing apparel -Cordage
-Dry boat storage (indoor) -Furniture

-Furs -Glues, mucilage, pastes and size -Grains -Horns and combs, other than celluloid

-Leather -Linoleum

-Lumber -Photo engravings

-Resilient flooring -Silks
-Soaps -Sugar

-Tires, bulk storage of -Tobacco, cigars, cigarettes and snuff

-Upholstery and mattresses -Wax candles

-Motor vehicle repair garages complying with the maximum allowable quantities of hazardous materials.

Storage Group (S-2): Buildings used for the storage of noncombustible materials such as products on wood pallets or in paper cartons with or without single thickness divisions; or in paper wrappings. Such products are permitted to have a negligible amount of plastic trim, such as knobs, handles or film wrapping. Uses shall include, but not be limited to, the following:

-Asbestos -Cement in bags

-Chalk and crayons -Dairy products in nonwaxed coated paper containers

-Dry cell batteries -Electrical coils -Electrical motors -Empty cans

-Food products -Foods in noncombustible containers

-Frozen foods -Fresh fruits and vegetables in nonplastic trays or containers -Glass bottles, empty or filled with noncombustible liquids

-Gypsum board -Inert pigments

-Ivory -Meats

-Metal cabinets -Metal desks with plastic tops and trim

-Metal parts -Metals

-Mirrors -Oil-filled and other types of distribution transformers

-Parking garages, open or enclosed -Porcelain and pottery -Stoves -Talc and soapstones

-Washers and dryers

-Beverages up to and including 16% alcohol in metal, glass or ceramic containers

Utility and Miscellaneous Group (U): Buildings and structures of an accessory character and miscellaneous structures not classified in any specific occupancy shall be constructed, equipped and maintained to conform to the requirements of this code commensurate with the fire and life hazard incidental to their occupancy. This Group shall include, but not be limited to, the following:

-Agricultural buildings -Barns

-Carports -Fences more than 6 feet in height

-Greenhouses -Livestock shelters -Private garages -Retaining walls

-Sheds -Stables -Tanks -Towers

-Aircraft hangars, accessory to a one- or two-family residence

-Grain silos, accessory to a residential occupancy